RESPONSE UNDER 37 CFR 1.105

The undersigned is advised that the subject variety was first offered for sale in Germany in 1998. As of the United States filing date, no sales were made nor was product available in the United States. This variety was the subject of European Union Plant Breeder's Rights Application No. 98/1018 granted as Certificate No. 7037 on December 4, 2000. Copies of that Certificate, Vorsclag Für Eine Sortenbezeichung (Proposal For a Variety Denomination) dated July 9, 1998, and relevant pages from the Gazette of the Community Plant Variety Office (May 1998) are enclosed.

IN THE DRAWINGS:

A duplicate drawing is submitted herewith. The color values set forth in the disclosure are accurate. The color photograph is produced as best as possible to reflect those values.

<u>REMARKS</u>

The Office Action of December 4, 2001 has been reviewed and the Examiner's comments carefully considered. The present Amendment provides a substitute specification addressing the outstanding issues in the present application. Applicant notes that two copies of the drawing are required, and, accordingly, please find a duplicate drawing attached hereto.

The Examiner has objected to the disclosure, pursuant to 37 C.F.R. § 1.163(a) and under 35 U.S.C. § 112, first and second paragraphs. Applicant believes that the amendments made to the specification specifically address the Examiner's objections detailed in Paragraphs A-L of the Office Action. Withdrawal of the objections and reconsideration of the rejection under 35 U.S.C. § 112, first and second paragraphs, is respectfully requested.

Reconsideration of the rejection, withdrawal of the objections, and allowance of the present application are respectfully requested.

Respectfully submitted,

WEBB ZIESENHEIM LOGSDON ORKIN & HANSON, P.C.

Russell D. Orkin

Registration No. 25,363

Attorney for Applicant

436 Seventh Avenue 700 Koppers Building

Pittsburgh, PA 15219-1818

Telephone: 412-471-8815 Facsimile: 412-471-4094

E-mail: webblaw@webblaw.com



GERANIUM PLANT NAMED 'TIKORG'

Classification

Pelargonium x hortorum (zonal geranium)

VARIETAL DENOMINATION

'Tikorg'

BACKGROUND OF THE INVENTION

The present invention comprises a new and distinct cultivar of *Pelargonium x hortorum* known by the varietal names 'pac® Antik Orange, Tikorg^(s) and pac® Pillar Orange, Tikorg^(s) (Breeder No. P-6137). The new variety was discovered in 1996 in a selected breeding program in Dresden, Germany. The new variety is a selection from a population of seedlings resulting from breeding and crossing of diploid group 95K-43. The new variety exhibits vigorous growth and has the long internodes and strong anthocyanin markings of its heritage but with more intense flower color, larger flowers and suitability for ground cover. The new variety was first asexually reproduced by cuttings in Dresden, Germany. The new variety has been trial and field tested at Connellsville and has been found to retain its distinctive characteristics and remain true to type through successive propagations.

The new variety has more conspicuous zonation than 'Pentik' (U.S. Patent Application No. 09/187,790) and a medium to broad upper petal width compared to the narrow upper petals of 'Pentik'.

The cultivar, when grown in a glass greenhouse in Connellsville, Pennsylvania using natural light and temperatures of 60°F night and 68°F day, has a response time of six weeks from a rooted cutting to flowering in a 2 inch pot and a response time of 10-12 weeks to a saleable pillar product. The response time was determined on plants grown in soilless media employing constant fertilizer 200-250 parts per million of nitrogen and potassium in full light.

DESCRIPTION OF THE DRAWINGS

The accompanying photographic drawing illustrates the new variety, with the color being as nearly true as is possible with color illustrations of this type.

DESCRIPTION OF THE PLANT

The following detailed description sets forth the characteristics of the new cultivar at 9 months. The data which defines these characteristics were collected by asexual reproductions carried out in Connellsville, Pennsylvania. The color readings were taken indoors under 200-220 foot candles of fluorescent cool white

Park H

light. Còlor references are primarily to the R.H.S. Colour Chart of The Royal Horticultural Society of London, 1995 edition.

PLANT

[Classification:

Botanical: Pelargonium x hortorum.

Commercial: Zonal geranium.]

Form:

Tall bush.

Height from media surface: 24-36 inches.

Growth:

Free branching, lateral to upright growth.

Strength:

If grown in pillar form, support required.

Foliage:

Stalked leaf attachment.

Rooting time:

14-21 days depending on conditions.

Leaves:

Size:

Length:

5.0-5.5 cm.

Width:

6.5-7.2 cm.

Shape:

Reniform; cordate base.

Margin:

Crenate.

Texture:

Pubescent.

Color:

Upper surface:

Green Group 137A.

Lower surface:

Green Group 138B.

Zone:

Greyed-Purple Group 187A.

Ribs and veins:

Venation:

Palmate.

Color:

Yellow-Green Group 144B.

Petioles:

Color:

Yellow-Green Group 144A.

Length:

6.5-7.0 cm.

Diameter:

3 mm.

Stem:

Color:

Green Group 137C.

Internode Length:

Diameter: 7 mm.

THE BUD

Shape when tightly closed, no color showing:

Overall:

Semi-spherical.

2.5-4.5 cm.

Individual bud:

Elongated elliptical (oval)

Size when tightly closed, no color showing:

Overall:

2.5 cm across.

Individual bud:

0.5-0.6 cm wide; 0.7-0.8 cm long.

Number of buds per cluster: 10-12.

INFLORESCENCE

Blooming habit:

Continuous; flowering.

Size:

8.0-10.0 cm across.

Borne:

Flower on umbel; umbel on pedicel; pedicel on peduncle.

Flowers:

Form:

Open flat to slightly cupped.

Size:

Diameter:

4.3-4.8 cm.

Depth:

0.5-1.0 cm.

Petals:

Color:

Upper surface:

Red Groups 41C and 43C with White

Group 158D at the base. The upper two petals have darker areas of Red Group 41B and sometimes Red Group 41A with dark veining of Red Group 42A. The lower petals have less significant veining

of Red Group 41B.

Lower surface:

Red Groups 41C and 41D and Red

Group 38A; some with darker veining showing through and darker areas of Red

Group 41A.

Shape: Round at top drawn out to a narrower base.

Size:

Length:

2.0-2.5 cm.

Width:

1.8-2.4 cm.

Margin:

[Complete] Bicrenate.

Number per flower: 5.

Sepals:

Color: Green Group 138B.

Size: 9 mm long; 5 mm wide.

Number per flower: 5.

Texture and appearance:

Smooth, reflective.

Tonality from a distance:

Bright orange-coral color with deeper values of orange

and highly reflective.

Petaloids:

None.

Pedicel:

Length:

3.2-3.7 cm.

Diameter:

1-1.5 cm.

Color:

Greyed-Red Group 178A with Yellow-Green Group 144D.

Peduncle:

Length:

14-15 cm.

Diameter:

4 mm.

Color:

Yellow-Green Group 144A.

Disease/pest resistance:

No unusual susceptibility to diseases or pests has been

noted to date.

REPRODUCTIVE ORGANS

Stamens:

Anthers:

0.2 cm.

Filaments:

Length:

0.4-0.6 cm.

Color:

[White with peach-coral tips] Yellow-Green Group

145D.

Pollen:

[Orange] Orange Group 24B.

Pistils:

Number:

One.

Length:

0.7-0.8 cm.

Stigma:

Number:

One.

Color:

[Orange] Yellow-Green Group 150D.

Style:

Length:

0.3 cm.

Color:

[Orange] Yellow-Green Group 150D.

Ovaries:

Length:

0.5 cm.

Width:

0.2-0.3 cm.

Color:

[Green] Green Group 142D.

Fruit: None observed.

Fragrance: Light, typical of zonal geranium.

GENERAL CHARACTERISTICS

- 1. 'Tikorg' is unique to the geranium industry.
- 2. 'Tikorg' is a very vigorous grower which allows it to be trained as a pillar.
- 3. 'Tikorg' is very floriferous.
- 4. Tolerant to drought and some heat; not winter hardy.